

# E-Bolzano




Technical sheet




ErP

Ecodesign





Description	Straight
Material	Carbon steel
Pipes - Ø	22x0,9
Collectors - mm	40x30x1,5 - «D» shape
Wall fixings	4
Max temperature	75 °C
Paint	Epoxy polyester powder
Packaging (ECO packaging)	Cardboard box and protections
Protection rate	IP24
Electrical insulation	Class 2
Power source	230V - 50Hz
Heating element protection system	Overtemperature cut-out
Wire	Spiral cable with shuko plug. Min lenght 500 mm - max 1800 mm
Standard equipment	1 kit wall fixing brackets



## White RAL 9016 - straight

Code	Height mm	Width mm	Weight kg	Heating element watt	Heating element kcal/h	Heating element btu	Overtemperature °C
<b>BOS50</b>	800	500	9	300	258	1024	95
<b>BOM50</b>	1200	500	13,5	500	430	1706	95
<b>BOM60</b>	1200	600	15,3	600	516	2047	95
<b>BOL50</b>	1600	500	18	750	649	2559	100
<b>BOL60</b>	1600	600	20,4	900	774	3071	100
<b>BOX50</b>	1800	500	20,5	900	774	3071	100
<b>BOX60</b>	1800	600	23,2	1000	860	3412	100

### MAIN FUNCTIONS OF THE DIGITAL THERMOSTAT

